

P.O. #: _____	Quote No: _____	Order Date: M D YY _____	Sales Rep: _____
Dealer: _____		Ship to: _____	
Address: _____		Address: _____	
City: _____	Prov: _____	Postal Code: _____	City: _____
			State.: _____
			Zip Code: _____
Tel: _____	Fax: _____	Tel: _____	Fax: _____
Tag: _____		Confirm my order via e-mail: Y ___ N ___	
Dealer Contact: _____		Send PDG e-News: Y ___ N ___ E-mail: _____	

**Bentley Frame Type - 20 Degrees of Tilt** Aust. \$

50330 Bentley manual tilt wheelchair \$3695

**Frame Options**

- 50331 **Standard base** and seat frame NC  
(Max. Weight Capacity 250 lbs)
- 50546 Transit Tie Down System (TTDS) <sup>1,2</sup> \$350
- 50547 **Heavy duty package** (double gas strut) <sup>3,4</sup> \$300  
(Max. weight capacity 450 lbs.)
- 50661 **Extended Base** c/w Heavy Duty Rear Stabilizers <sup>5</sup> \$600
- 51304 **Extended Base** c/w Rear Floor Jacks with triple contact pad <sup>6</sup> \$600

**Client Information** (Ensures optimal set-up of chair)

50548 Weight (lbs.): \_\_\_\_\_ Height (ft./in.): \_\_\_\_\_

**Seat Width** (Inches)

- 50549 14" seat width NC
- 50550 15" seat width NC
- 50551 16" seat width NC
- 50552 17" seat width NC
- 50553 18" seat width NC
- 50554 19" seat width NC
- 50555 20" seat width NC
- 50556 21" seat width \$195
- 50557 22" seat width \$195

**Custom Seat Width** (Requires 4 Week Delivery)

- 50558 23" seat width <sup>3</sup> \$600
- 50559 24" seat width <sup>3</sup> \$600
- 50560 25" seat width <sup>3</sup> \$600
- 50561 26" seat width <sup>3</sup> \$600
- 50562 27" seat width <sup>3</sup> \$600
- 50563 28" seat width <sup>3</sup> \$900
- 50564 29" seat width <sup>3</sup> \$900
- 50565 30" seat width <sup>3</sup> \$900
- 50566 31" seat width <sup>3</sup> \$900
- 50567 32" seat width <sup>3</sup> \$900

**Seat Depth** (Adjustable)

- 50568 16" seat depth NC
- 50569 17" seat depth NC
- 50570 18" seat depth NC
- 50571 19" seat depth NC
- 50572 20" seat depth NC
- 50573 21" seat depth NC
- 50574 22" seat depth NC

**Frame Color**

- 50575 Blue Shimmer STD
- 50576 Tracer Red NC
- 50577 Black Shimmer NC
- 50578 Burnt Orange NC
- 50579 Misty Purple NC
- 50580 Forest Green NC
- 50581 Custom color: <sup>7</sup> \_\_\_\_\_ \$300

**Arm Type**

- 50582 No armrests STD
- 50583 Dual post fixed height NC
- 50584 Dual post adjustable height \$295  
8" - 11" \_\_\_ 10" - 14" \_\_\_ 12" - 16" \_\_\_
- 50587 3" armrest extension - forward <sup>8</sup> \$59
- 50588 3" armrest extension - rearward <sup>8</sup> \$59
- 50589 Locking flip-up armrests, <sup>9</sup> \$295  
Set at 10" \_\_\_ 11" \_\_\_ 12" \_\_\_ 13" \_\_\_ 14" \_\_\_

**Armrest Options**

- 50594 Desk length armpad, 2" x 10" NC
- 50595 Full length armpad, 2" x 12" NC
- 50596 3" wide arm pads (pr) <sup>10</sup> - full \_\_\_ desk \_\_\_ \$49
- 50598 Gel armpad, 2" x 12" \$115
- 50599 Gel armpad, 3.5" x 12" \$115
- 50600 Contour arm trough - right (4.5" X 13") <sup>10</sup> \$85
- 50601 Contour arm trough - left (4.5" X 13") <sup>10</sup> \$85
- 50602 Flat hand pad - left (4.5" X 5") <sup>11</sup> \$55
- 50603 Flat hand pad - right (4.5" X 5") <sup>11</sup> \$55
- 50604 Clothing guards (black plastic) <sup>8</sup> \$205
- 50605 Armrest wideners (pr) <sup>13</sup> \$375

**Seat Pan Options**

- 50606 No seat pan STD
- 50607 Solid seat pan \$140

**Seat Cushion Options**

- 50608 No seat cushion STD
- 50609 MaTRx-Vi cushion: 14"w - 20"w <sup>12</sup> \$590  
Depth: 16" - 17" \_\_\_ 18" - 19" \_\_\_ 20" - 21" \_\_\_
- 50610 Spare MaTRx-Vi Cushion Cover: 14"w - 20"w \$115
- 50611 MaTRx-Vi Cushion: 21"w - 22"w <sup>12</sup> \$645  
Depth: 18" - 19" \_\_\_ 20" - 21" \_\_\_
- 50612 Spare MaTRx-Vi Cushion Cover: 21"w - 22"w \$125

**Footnotes**

- 1 TTDS includes 4 factory installed transport brackets and a wheelchair -anchored lap belt. TTDS has been crash tested in accordance with ANSI/RESNA WC 19. See owner's manual for complete details.
- 2 TTDS not retrofittable to existing models. Not field serviceable. Not compatible with Attendant Wheel Locks or Heavy Duty Package.
- 3 Max weight capacity 450 lbs. Requires 20" composite or 24" heavy duty spoked wheel. Fixed axles only.
- 4 Order as "add on" for seat widths up to 22". Heavy duty package included on seat width 23" or wider.
- 5 Provides additional rearward stability for clients with excessive movement. Foot operated spring loaded release. Not compatible with Attendant Wheel Locks, Rear Floor Jacks, IV Pole, O<sub>2</sub> Holder.
- 6 Lifts rear wheels off ground for increased stability. Available with 12" and 20" rear wheels only, Triple contact pad standard. Not compatible with Attendant Wheel Locks, Rear Stabilizers, IV Pole, O<sub>2</sub> Holder.
- 7 Contact PDG for specification.
- 8 Not compatible with flip-up armrests.
- 9 Not compatible with clothing guards, back upholstery.
- 10 May interfere with rear wheels when tilted, depending on configuration.
- 11 Requires contour arm trough.
- 12 Cushion seat width supplied as per chair seat width ordered.

Dealer: \_\_\_\_\_ P.O.#: \_\_\_\_\_ Quote # \_\_\_\_\_

**Caster Options** (See chart below for seat height compatibility) **Aust. \$**

- 50615 6" x 1-1/4" urethane NC
- 50616 6" x 1-1/4" pneumatic \$110
- 51311 6" x 1-3/4" urethane \$75
- 50617 8" x 1-1/4" urethane<sup>14</sup> NC
- 50618 8" x 1-1/4" pneumatic<sup>14</sup> \$110
- 50619 8" x 2" urethane caster<sup>14</sup> \$135
- 50620 8" x 2" pneumatic caster<sup>14</sup> \$135

**Rear Wheel Options** (See chart below for seat height compatibility)

- 50621 12" composite wheel NC
- 50622 16" composite wheel NC
- 50623 20" composite wheel<sup>15</sup> NC
- 51312 20" spoke wheel<sup>15</sup> \$75
- 51461 22" composite wheel NC
- 51460 22" spoke wheel \$75
- 50624 24" composite wheel NC
- 51313 24" spoke wheel \$75
- 50625 24" Heavy Duty spoke wheel<sup>15, 16</sup> \$350

**Seat Height Options**

**CIRCLE** desired seat-to-floor height in chart below.

All dimensions are approximate.

		Seat Height				
Rear Wheel	6" Casters					
	12"	13"	14"	15"	16"	NC
			17"	18"	\$60	
16"	15"	16"	17"	18"	NC	
			19"	20"	\$60	
20"	13"	14"	15"	16"	NC	
			17"	18"	\$60	
<b>22"</b>	<b>14"</b>	<b>15"</b>	<b>16"</b>	<b>17"</b>	<b>NC</b>	
			<b>18"</b>	<b>19"</b>	<b>\$60</b>	
24"	15"	16"	17"	18"	NC	
			19"	20"	\$60	
Rear Wheel	8" Casters					
16"	15"	16"	17"	18"	NC	
			19"	20"	\$60	
24"	15"	16"	17"	18"	NC	
			19"	20"	\$60	

**Rear Tire Options**

- 50637 Urethane tires STD
- 50638 Pneumatic rear tires NC
- 50639 Pneumatic rear tires with flat-free inserts \$200

**Axle Type**

- 50640 Fixed rear axles<sup>15</sup> STD
- 50641 Quick release rear axles NC

**Hand Rim Options**

- 50642 Steel hand rims<sup>17</sup> STD
- 50643 Plastic coated hand rims<sup>18</sup> \$95
- 50644 Plastic coated projection hand rims<sup>19</sup> \$225
- 50645 Select number of projections: 8\_\_ 12\_\_ 16\_\_
- 50648 Select projection length: 3/4"\_\_ 1"\_\_
- 50650 Select projection angle: 0°\_\_ 45°\_\_ 90°\_\_

**Wheel Locks**

- 50653 Push to lock wheel locks STD
- 50654 Pull to lock wheel locks NC
- 50655 Attendant only wheel lock (push to lock) \$85
- 50656 User wheel locks and attendant wheel locks<sup>17</sup> \$150
- 50657 Wheel lock extensions (pair) \$60
- 50658 Hill holders \$350

**Anti-Tip Options**

- 50659 Rear anti-tippers<sup>20</sup> \$99
- 50660 Front anti-tippers \$300

**Back Post Style**

- 50662 Push Bar Back - 25" high STD
- 50663 Push Bar Back - 31" high \$35
- 50664 Cane Handle Back - 25" high<sup>21, 22</sup> \$35
- 50665 Cane Handle Back - 31" high<sup>21, 22</sup> \$35
- 50666 Adjustable height / angle push bar handle<sup>22, 23</sup> \$395

**Back Options**

- 50667 Seat to back angle - set at: STD  
90°\_\_ 98°\_\_ 106°\_\_ 114°\_\_ 122°\_\_
- 50673 Backrest extension 10" high<sup>24</sup> \$150
- 50674 Fold down back<sup>25</sup> NC
- 50675 Spring back suspension<sup>25</sup> STD

**Back Upholstery**

- 50676 No back upholstery STD
- 50677 Standard back upholstery<sup>26</sup> \$125  
Specify height: 21"\_\_ 22"\_\_ 23"\_\_
- 50681 Short upholstery - 25" back frame only<sup>26</sup> \$125  
Specify height: 18"\_\_ 19"\_\_ 20"\_\_
- 50684 Tall upholstery - 31" back frame only<sup>26</sup> \$125  
Specify height: 24"\_\_ 25"\_\_ 26"\_\_
- 50688 Adjustable tension upholstery<sup>26, 31</sup> \$250  
Specify height: 21"\_\_ 22"\_\_ 23"\_\_

**MaTRx Back** (www.motionconcepts.com)

- 50689 MaTRx PB: \$625  
Width: 15"-17"\_\_ 17"-19"\_\_ 19"/20"\_\_  
MaTRx PB Height: 12"\_\_ 16"\_\_ 20"\_\_
- 50695 MaTRx PB HD \$995  
Width: 20"/21"\_\_ 22"/23"\_\_ 24"/25"\_\_  
Height: 16"\_\_ 20"\_\_
- 50698 MaTRx PB or PB HD spare cover \$115
- 50699 MaTRx PB deep: \$845  
Width: 15"-17"\_\_ 17"-19"\_\_ 19"/20"\_\_  
Height: 12"\_\_ 16"\_\_ 20"\_\_
- 50703 MaTRx PB deep HD \$1145  
Width: 20"/21"\_\_ 22"/23"\_\_ 24"/25"\_\_  
Height: 16"\_\_ 20"\_\_
- 50702 MaTRx PB deep or PD deep HD spare cover \$125

**Tilt / Recline Options**

- 50706 Reclining backrest (manual) max. recline - 30°<sup>27</sup> \$1200

**Headrest Options** (www.stealthproducts.com)

- 50707 Headrest Mounting plate (bolt on)<sup>28, 29</sup> \$75  
Stealth Headrest Hardware Style
- 50708 Multi-axis hardware - HMO475<sup>30</sup> \$239
- 50709 Headrest Link Hardware -TWB480 hardware<sup>30</sup> \$306  
Stealth Headrest Pad Size:
- 50710 6"\_\_ 8"\_\_ 10"\_\_ 14"\_\_ \$226

**Footnotes**

- <sup>14</sup> Compatible only with 16" and 24" rear wheels.
- <sup>15</sup> Required for Heavy Duty Package.
- <sup>16</sup> Not compatible with Pneumatic rear tires with Flat Free Inserts.
- <sup>17</sup> 20" or 24" rear wheels only.
- <sup>18</sup> Require a 4 to 6 week lead time.
- <sup>19</sup> Not compatible with 12" rear wheels.
- <sup>20</sup> Required safety option on a manual tilt chair.
- <sup>21</sup> Seat widths 14" - 22" only.
- <sup>22</sup> Not compatible with headrest mounting plate.
- <sup>23</sup> Not compatible with Cane Handle Back.
- <sup>24</sup> Not compatible with adjustable height / angle push bar.
- <sup>25</sup> Not compatible with reclining back.
- <sup>26</sup> Back height measured from seat pan to top of upholstery.
- <sup>27</sup> Not compatible with spring back suspension and fold down back.
- <sup>28</sup> Not compatible with head rest extension or adjustable angle push bar.
- <sup>29</sup> Required when mounting Stealth Headrest on Push Bar Back.
- <sup>30</sup> Requires headrest mounting plate.

Dealer: \_\_\_\_\_ P.O.#: \_\_\_\_\_ Quote # \_\_\_\_\_

**Attendant Tilt / User Operated Self - Tilt** Aust. \$

- 50714 Attendant tilt only STD
- 50716 Self tilt only: right armrest \_\_ left armrest \_\_<sup>31</sup> \$99
- 50718 Dual activator: backrest - right \_\_ left \_\_<sup>31</sup> \$195
- 50720 Armrest - right \_\_ left \_\_<sup>31</sup>
- 50722 Trigger extension \$48

**Front Rigging**<sup>38</sup>

- 50723 Omit front rigging NC
- 50724 Sector blocks only (no front rigging supplied) NC
- 50725 Plug-in removable 70° front rigging STD
- 50726 Plug-in adjustable knee angle front rigging \$290
- 50727 Swing away removable 60° front rigging NC
- 50730 Swing away removable 70° front rigging NC
- 50731 Swing away elevating legrest \$355

**Foot Plates**

- 50472 Composite footplates STD
- 50733 Adjustable angle footplates \$140
- 50734 Oversize aluminum footplates<sup>33</sup> \$120
- 50735 One-piece **FIXED** footplate<sup>34</sup> \$350
- 50736 One-piece **FLIP-UP** footplate<sup>35</sup> \$395

**Extension Tube**

- 50737 Standard length (13" - 17") STD
- 50738 Long extension tubes (15" - 19") \$75
- 50739 Solid extension tubes - extra strength<sup>35</sup> \$99

**Footrest/Legrest Accessories** Aust. \$

- 50740 Adjustable length heel loops \$55
- 50741 BodyPoint padded calf strap<sup>41</sup> \$49
- 50742 Miller's dynamic footrest mounts<sup>36</sup> \$99

**Positioning Straps** ([www.bodypoint.com](http://www.bodypoint.com))

- 50743 BodyPoint - center-pull auto style hip belt \$85
- 50744 BodyPoint - padded, center-pull auto style hip belt \$125
- 50745 BodyPoint - 4 point hip belt \$150
- 50746 BodyPoint - chest strap \$75

**Miscellaneous Options**

- 51314 One arm drive<sup>37</sup> \$3,500
- 51315 Protective lower padding \$425
- 51316 IV Pole<sup>39</sup> \$295
- 50747 O<sup>2</sup> holder<sup>39</sup> \$295
- 50748 Vent tray c/w battery tray<sup>40</sup> call for quote

**Custom Modifications**

Contact PDG for any custom modification requirements.

**Total Retail Value - This order** \$ \_\_\_\_\_

*Have all desired specs been checked? A complete spec sheet ensures your chair will arrive on time and as you expect. HCPCS codes supplied are for reference only and do not ensure coverage or payment.*

*PDG recommends all wheelchairs be fitted to the consumer under the guidance of a health care professional knowledgeable of the of the particular needs of the consumer and the limitations of the product.*

**Footnotes**

- 31** Requires headrest mounting plate.
- 33** Not compatible with solid or long extension tubes.
- 34** Available on plug-in front rigging only.
- 35** Not compatible with oversize footplates.
- 36** Not available with elevated legrests.
- 37** Restrictions apply. Extended delivery time. Contact PDG for more information.
- 38** On chair pricing applies for only 1 pair of front rigging. For additional front rigging prices, contact PDG Customer Service.
- 39** Not compatible with TTDS (Transit Tie Down System), Rear Stabilizers, Rear Floor Jacks, Attendant Wheel Locks.
- 40** Vent and battery model and dimension must be supplied. May restrict chair specifications.
- 41** Not available for sizes greater than 22" - sizes greater than 22" are not padded.